



4KG68



4KG67

## Heavy-Duty Brass Water Repair Kits

Fix rubber or plastic hose

High quality rod brass construction features stainless steel worm gear clamps with live rubber washer on female end.

Item No.	Description
4KG68	5/8" Heavy-Duty Brass Hose Repair Kit
4KG67	3/4" Heavy-Duty Brass Hose Repair Kit
1HLX4	Brass Quik Couplers, PK2
1HLX5	Male Couplers, PK2
1HLX6	Rubber Washer, PK10



4KG97

## 5/8" Brass Water Hose Quick Connector Sets

Leakproof connection

Solid brass construction with push back collar connects the hose instantly.

Item No.	Description
4KG97	Brass Water Hose Quick Connector (M&F)
4KG98	Brass Water Hose Quick Complete Connector Coupling (M&F) w/Auto Shut Off
4KH02	Brass Water Hose Quick Connector 2 Males Only

Double Male  
Brass ConnectorMale & Female  
Brass ConnectorDouble Female  
ConnectorSwivel Hose to Pipe Fitting  
(Double Female)

## Brass Pipe and Hose Thread Connectors

High quality rod brass

Connects different sizes or types of threaded pipe and hose. Threads for hose couplings and nipples:

- N.H.—National Hose Coupling
- N.P.T.—National Pipe Taper Thread
- N.P.S.—National Pipe Straight Thread

### DOUBLE MALE BRASS CONNECTOR

Item No.	Description
4KG81	3/4" NH(M) x 3/4" NPT(M) x 1/2" NPT(F)
4KG82	3/4" NH(M) x 3/4" NH(M)
4X072	3/4" NH(M) x 3/4" NPT(M)
1P654	3/4" NH(M) x 1/2" NPT(M)

### MALE & FEMALE BRASS CONNECTOR

Item No.	Description
4KG83	3/4" NH(M) x 1/2" NPT(F)
4KG84	3/4" NH(M) x 3/4" NPT(F)
1P723	3/4" NPT(M) x 3/4" NH(F)

### DOUBLE FEMALE CONNECTOR

Item No.	Description
4KG85	1/2" NPT(F) x 3/4" NH(F)
4KG86	3/4" NPT(F) x 3/4" NH(F)
1P724	Swivel 3/4" NH(F) x 3/4" NH(F)

### SWIVEL HOSE TO PIPE FITTING (DOUBLE FEMALE)

Item No.	Description
4KG87	1/2" NPT(F) x 3/4" NH(F)
4KG88	3/4" NH(F) x 3/4" NPT(F)



## Brass Adjustable Twist Nozzle

Self-centering 1-piece stem adjusts from fine spray to powerful stream 3-7/8" overall length.

Item No.	Description
1HLV6	Brass Adjustable Twist Nozzle



## Single Water Hose Shut-Off

Control water flow

Solid die-cast zinc construction has an adjustable shut-off valve.

- Cold water use only

Item No.	Description
4KH03	Single Water Hose Shut-Off



## Hose Adapter

Double the output

Use two hoses from one faucet. Features chrome-plated zinc alloy casing and an adjustable shut-off valve for each hose connection.

- Cold water use only

Item No.	Description
4KH07	2-Way Hose Adapter



## 32" Aluminum Wand

Soft-grip handle for added comfort  
Lightweight showerhead and tube quickly deliver large quantities of water to the plant base.

Item No.	Description
1HLV2	32" Aluminum Wand



## High-Flow Fireman's Twist Nozzle

Up to 300% more water flow for superior cleaning  
Adjusts from gentle shower to powerful stream. Nozzle is made of zinc, aluminum, brass, and glass-filled nylon. Protective rubber covering in black and yellow. For use with standard garden hoses.

- Black/Gray/Yellow Color
- 5-1/2" Long

Item No.	Description
1HLW1	High-Flow Fireman's Twist Nozzle



## Pistol Grip Nozzle

Crush Resistant Glass Filled Nylon Handle  
Adjusts from mist to powerful stream with a lock-on water clip. Yellow powder-coat finish. For use with standard garden hoses.

- 4-3/4" Long

Item No.	Description
1HLV5	Pistol Grip Nozzle



## Brass Adjustable Twist Nozzle

Self-centering 1-piece stem adjusts from fine spray to powerful stream  
2-5/8" overall length.

Item No.	Description
1HLV9	Die-Cast Sweeper Nozzle



## Insulated Pistol Grip Nozzle

Adjustable Brass Tip  
Die-cast metal body, crush-resistant glass-filled nylon handle, and insulated grip. For use with standard garden hoses.

- Yellow/Silver color
- 5" Long

Item No.	Description
1HLV7	Insulated Pistol Grip Nozzle
1HLV8	Front Trigger Pistol Nozzle



## Hot Water And Pressure Rated Nozzle

Rated for temperatures up to 160°F  
Adjusts from a fine mist to a powerful stream. Insulated pistol grip, die cast metal body and glass-filled nylon handle. For use with standard garden hoses.

- Black/Red color
- 5" Long

Item No.	Description
1HLV3	Hot Water And Pressure Rated Nozzle



## Insulated 6 & 10 Pattern Pistol Grip Nozzles

Choose the spray of choice

Chrome-plated die-cast zinc body has cold water protective plastic insulating shield on glass-filled nylon handle. Features a new trigger type nozzle with clip that locks water in "On" position. Solid brass memory spray tip adjusts from mist flat, shower, Halo™, jet, etc. and retains pattern until changed.

1WG41	7-1/2"L x 6-3/4"H x 2-5/8"D
1WG44	7"L x 6-1/4"H x 2-1/4"D with trigger type nozzle

Item No.	Description
1WG41	10 Pattern Pistol Grip Nozzle
1WG44	6 Pattern Pistol Grip Nozzle



## Pistol Grip Nozzle

Soft comfort grip, front trigger design  
Thumb-activated flow control. Insulated pistol grip, die cast metal body and glass-filled nylon handle. For use with standard garden hoses.

- Black/Gray/Yellow color
- 5-3/4" Long

Item No.	Description
1HLW2	7 Pattern Pistol Grip Nozzle
1HLW3	6 Pattern Pistol Grip Nozzle



### Impulse Sprinkler

A natural rain-like spray

Features a brass swivel hose connection with washer, brass impact head (full or part circle), and water-saver arm and density controls.

- Mounted on a die-cast sled base
- Spray coverage 90 ft. diameter max.

Item No.	Description
1WG46	Impulse Sprinkler



### Whirling Sprinkler

Maximum spray coverage of 45 x 45 ft.

Durable rustproof metal construction and rugged back wheels. Minimum spray coverage of 5 x 5 ft. areas.

Item No.	Description
1HLW4	Whirling Sprinkler



1WG45

### Impulse Spike Sprinkler

Full or part circle spray pattern

Brass impact head has water-saver arm, distance and density controls, and brass swivel hose connection with washer.

- Series connection base metal spike
- Spray coverage 90 ft. diameter max.

Item No.	Description
1WG45	Impulse Spike Sprinkler
1HLX1	Impulse Spike Sprinkler
1HLX2	Impulse Spike Sprinkler



### Triple Spray Oscillating Sprinkler

Maximum spray coverage of 3750 sq. ft.

Choose from three settings: large coverage for areas up to 3750 sq. ft.; medium coverage for areas up to 2275 sq. ft.; strip-area coverage for areas as narrow as 8 ft.

Item No.	Description
1HLW5	Oscillating Sprinkler



1HLX3

### Sprinkler Timers and Remote Control

Turn water on and off up to 100 feet away

Can be set in increments up to 2 hours.

Two outlets, one with up to 8 programmed cycles including mist, and another that is untimed – can be used simultaneously.

- 5/8" GHT hose couplings

Item No.	Description
1HLX3	Remote Control System
1HLW7	Mechanical Watertimer
1HLW8	Watertimer, 6 Cycle
1HLW9	Watertimer, 6 Cycle

### Stationary Sprinkler



Circular spray pattern covers up to 30 ft.

- 5/8" GHT hose coupling
- Cast iron

Item No.	Description
1HLV4	Stationary Sprinkler



### Commercial Grade Large Area Sprinkler

16,000 sq. ft. maximum coverage

Adjustable arms cover a wide area of 15 to 55 ft. Travels a 200-ft. length of hose using two forward speeds, then shuts off automatically. Rear wheels have cleats to maximize tracking.

- Sturdy die-cast iron body

Item No.	Description
1HLW6	Commercial Grade Large Area Sprinkler



## Anvil Pruner

Durable Teflon® coated carbon steel blade  
8" Aluminum body is rust-resistant. Ergonomic comfort grip handles.  
• 5/8" cutting capacity

Item No.	Description
2ZB48	Anvil Pruner



## Forged Bow Rake

Making everyday tasks easier  
60" straight handle features 16 tines.  
• Blade size: 16-1/2"  
• Wooden handle

Item No.	Description
1WG36	Forged Bow Rake



3YU78



## 27" By-Pass Lopper

Carbon steel blade is Teflon-S® coated  
Extended reach, ergonomic American ash hardwood handles improve leverage.  
• 1-1/2" cutting capacity

Item No.	Description
2ZB47	27" By-Pass Lopper

## Flexible Steel Spring Brace Rake

Professional duty  
Lacquered hard oak handle won't pull loose. Has one-piece steel tines.



Item No.	Head Width	Handle Length
1WG30	24"	48"



3YU79

## Rakes

Level roads and driveways  
Rivet connections provide added strength and durability.

**3YU78** Bow Rake

**3YU79** Level Rake

• Fiberglass handle

Item No.	Handle Type	Handle Length
3YU78	Straight	60"
3YU79	Straight	60"



## 10" Hedge Shear

Shape up shrubbery  
Chrome-plated carbon steel wavy blade shears.  
American ash wood handles.

Item No.	Description
2ZB49	10" Hedge Shears



3VB57



3VB57 (Collapsed)

## Collapsible Containers

Reusable lawn clipping receptacles  
Green colored polyethylene material is collapsible for easy storage and carrying.

**3VB57** 24"H x 19"D

**3VB58** 32"H x 19"D

Item No.	Gallon
3VB57	29
3VB58	39



**Post Hole Digger**

Mighty blades for rocky soil

Tough, high carbon blades are bolted to hardwood handles for digging into hard, heavy gravel soils.

Item No.	Distance Between Blade Tips	Handle Length
1WG29	5-7/8"	48"



**Aluminum Shovel**

Strong and secure

Aluminum alloy blade and neck/handle connecting steel ring increases strength and provides balance. 10" soft, cushioned grip on fiberglass handle adds comfort and control.

- Blade size: 14.7" x 18.8"
- Fiberglass handle

Item No.	Handle Type	Handle Length
3YU77	D-Handle	27"



**Garden Spade Shovel**

Break through

14-gauge blade has maximum toughness. Rivetless ring of steel connects shovel neck and handle, making one solid unit.

- Blade size: 6.8" x 11.2"
- Fiberglass handle

Item No.	Handle Type	Handle Length
3YU80	D-Handle	28.5"



3YU82



3YU83

**Round and Square Point Shovels**

14-gauge blades for tough jobs

10" soft, cushioned grip adds comfort and control. Rivetless ring of steel connects shovel necks and handles for one solid unit.

3YU82 blade size: 8.7" x 11.4"

3YU83 blade size: 9.4" x 11.4"

- Fiberglass handle

Item No.	Handle Type	Handle Length
3YU82	Straight	48"
3YU83	Straight	48"



**Mortar Hoe**

Strong performer

Forged head for durability.

- Blade size: 7" x 4.75"
- Fiberglass handle

Item No.	Handle Type	Handle Length
3YU81	Straight	60"

Keep your hands protected with work gloves from Condor™. See page 156.



**Scoops**

Handle larger loads of grain, dirt or coal

Lightweight aluminum alloy blade makes lifting easier. Armor "D" handle with comfortable grip completely encases a wooden "D" in the handle for superior strength. Steel collars on handle prevents the socket from spreading.

**1WG35 #12 Aluminum Scoop**

- Blade size: 14-3/4" x 18-3/4"

**6YU33 Scoop Shovel**

- Black polypropylene blade
- Clear lacquer finish handle
- "D" type wood handle
- Blade size: 14-1/2" x 18"

**6YU35 Square Point Shovel**

- Black coated steel blade
- Clear lacquer finish
- Blade size: 11-1/2" x 13-1/2"

Item No.	Handle Type	Handle Length
1WG35	D-Handle	27"
6YU33	D-Handle	27"
6YU35	Straight	48"



**Round Point Shovels**

Reliable and tough

14-gauge stamped steel blades. Features forward turn step and extended blade socket for greater strength. Seal coated Ash wood handles are locked into sockets to prevent twisting.

- Chrome-plated Armor "D" grip encases the wooden "D" for strength
- Blade size: 8-1/2" x 11-3/4"

Item No.	Handle Type	Handle Length
1WG31	Straight	48"
1WG33	D-Handle	30"



**Square Point Shovels**

Contractor strong

Seal coated Ash wood handles are locked into sockets to prevent twisting. 14-gauge stamped steel blades. Features forward turn step and extended blade socket for greater strength.

- Chrome-plated Armor "D" grip encases the wooden "D" for strength
- Blade size: 9-3/4" x 11-3/4"

Item No.	Handle Type	Handle Length
1WG32	Straight	48"
1WG34	D-Handle	30"





**Snow Pushers**

Nonstick finish speeds snow removal  
 Extra long handles are lacquer coated to protect against moisture and ensure long life.  
 • Straight/wood handles

Item No.	Description	Handle Length	Blade
6YU39	Aluminum	48"	12" x 24"
6YU37	Steel	48"	12" x 24"



**Snow Shovels**

Built rugged to clear heavy loads  
 • Reinforced ribs  
 • Steel wear strip  
 • Nonstick finish  
 • Wooden handle

Item No.	Description	Handle Length	Blade
6YU43	Steel	36"	15" x 18"



**Ice Scraper**

Sturdy blade  
 Quickly chop ice, remove roof shingles and linoleum, scrape concrete forms, and perform general maintenance.  
 • Black coated steel blade  
 • Blade size: 7" x 6"  
 • Wooden handle

Item No.	Handle Type	Handle Length
6YU41	Straight	48"

Stay warm with thermal clothing from Condor™.

See page 164.

