

500W Hand Carry Quartz Light

High intensity floodlighting where you need it

Die-cast aluminum housing with hinged door and foam grip "S" handle is designed for temporary indoor/outdoor lighting applications. The quartz halogen utility lights provide bright, natural, color correct, white light and use 1/3 less energy than conventional incandescent lighting. Instant light with excellent beam control suitable for outdoor and wet locations.

- Waterproof gasket lens and tempered glass
- 500W quartz lamp included
- 3-position dimmer switch (500W, 250W, off)
- 12 ft., 18/3 grounded cord



Item No.	Description
4VM72	Hand Carry Quartz Light

Professional Quartz Utility Light Stands

Twin lighthoods on an adjustable tripod

Designed with a storage bracket, weatherproof duplex ground fault (GFCI) receptacle and tip over safety switch. Safety yellow 1/2" diameter, 20-gauge steel tripod adjusts from 40" to 84" high.

- 20 ft. grounded cord, 14/3 gauge
- Two 500W quartz halogen lamps included

4VM75 3-position switch for each lighthood (250W, 500W, off)

4VM76 Independent on/off switch for each lighthood



Item No.	Description
4VM75	1000W Light Stand
4VM76	1600W Light Stand

General Purpose Tripod Light Stands

Shed high-intensity light in hard to see areas

Safety yellow 1/2" diameter steel tripod adjusts from 40" to 84" high. Die-cast aluminum housing includes directional lighthoods at 150° and vertical aiming of 360°. U-stand base is adjustable from 29"-39" for balance and stability. Lamps included.

- 6 ft. 18/3 gauge grounded cord



Item No.	Description
4VM73	500W Tripod Stand Single Light
4VM74	1000W Tripod Stand Double Light

Professional Aluminum Tripod

Lighter replacement to heavier tripods

Heavy-duty yellow and black powder-coat aluminum construction with bracketed support. Includes leg extensions for uneven surfaces and support bracket for dual lamps.

- Use with Nos. 5RV15 and 5RV16 only
- Max. height 57-1/2"; folds to 26" for storage



Item No.	Description
5RV14	Professional Aluminum Tripod



1200W Quartz Halogen Light Sled Kit

Get maximum light coverage

Dual Lamp Portable Quartz Light **5RV16** with Tripod **5RV14** combines to make two different lights. Configures 1-Dual Lamp Tripod or Light and 1-Dual Lamp Portable Light. Includes 2-lighthoods, aluminum tripod with jointed supports and extendable legs.

- 2-piece portable stand
- 10 ft., 16/3 triple outlet extension cord
- 2 - 300W lamps included

Item No.	Description
5RV13	Quartz Halogen Light Sled Kit

Dual Lamp Portable Quartz Lights

Compact and easy to carry

Features soft grip carrying handles and individual "cool touch" handles to aim lamps. Die-cast aluminum housing has yellow powder coat steel tube frame.

- Lamps included
- 8 ft., 18/3 SJT grounded cord (rated at 150C)

5RV15 4-position switch

5RV16 3-position switch

Item No.	Description
5RV15	500 Max. Watt Dual Lamp
5RV16	1200 Max. Watt Dual Lamp



1000W Professional Hand Carry Light

Shed maximum light in harsh environments

Heavy-duty, die-cast aluminum housing. Hinged door frame for easy lamp installation. Foam grip handle and stable base. Suitable for outdoor and wet locations. Waterproof gasket lens and tempered glass. Large wire guard included for safety.

- Lamp included
- 12 ft., 18/3 grounded cord and Hi/Low switch



Item No.	Description
4VM71	Professional Hand Carry Light

Portable Area Light

Bright, energy-efficient, temporary lighting

Sturdy, lightweight, die-cast aluminum housing and polycarbonate lens. Safety yellow color. Easy-grip handle for carrying and hanging.

- 80 lb. magnet for convenient wall mounting on steel surfaces
- 6 ft., 3 conductor SJTOW with plug, 120V, 60 Hz
- 70W metal halide lamp included



Item No.	Description
3RB23	70W Portable Area Light

MR16 Halogen Hand Lamps

Aim light exactly where you need it

Compact design and rugged plastic body. Includes an On/Off switch built into the handle. Direct light with a 90° swivel head and 360° adjustable hanging hook.


- Lamp not included

6YF70

20 ft. cord has an automotive accessory plug

6YF71

18/2 SJT, 15 ft. cord



6YF71

Item No.	Description
6YF71	120V MR16 Halogen Hand Lamp
6YF70	12V MR16 Halogen Hand Lamp

General Purpose Hand Lamp

Solution to a variety of lighting needs

Heavy-duty hand light holds 100W lamp. Circuit breaker provides overload protection, and dual guard isolates lamp heat from surrounding surfaces.

- Durable 16/3-SJTW, 25 ft. cord
- 125V, 60 Hz.
- 100W max. Lamp not included



Item No.	Description
4XP70	General Purpose Hand Lamp

General Purpose Cord Reel Light

Swivel mounts on wall or ceiling

6-1/2" dia. steel housing features thermoplastic guard, 2 ft. installation cord, and 18/3-SVT 20 ft. cord. Grounded handle features 7 amp resettable circuit breaker, tool tap outlet and push-through switch. Cord locks at desired working length and retracts with a pull of the cord.

- 75W max. lamp not included



Item No.	Gauge/Conductors	Cord	Cord Length
1A135	18/3	SVT	20

Cord Reel Lights

Illuminate light-to medium-duty applications

Cord locks at working length and retracts with a pull of the cord. Steel housing with steel guard swivel mounts on wall or ceiling. Handle has tool tap outlet and push-through switch.

- 2 ft. installation cord
- Grounded handle with a 7 amp resettable circuit breaker
- Lamp not included



6X756

Item No.	Gauge/Conductors	Cord	Cord Length
6X756	18/3	SVT	50
1W943	16/3	SJT	25



Hand Lamp With Cord Reel

Compact size and fluorescent lighting

Lamp pulls out to desired length and locks, automatically retracts with slight tug on cord. 13 watts.

- SJT-20 ft. cord
- Lamp included

Item No.	Description	Gauge/ Conductor
6VW58	Hand Lamp with Cord Reel	18/2



Compact Fluorescent Hand Lamp & Cord Reel

Accessible outlet in handle

Lamp pulls out to desired length and locks, automatically retracts with slight tug on cord. 13 watts.

- SJT-30 ft. cord
- Lamp included

Item No.	Description	Gauge/ Conductor
4XP66	Compact Fluorescent Hand Lamp & Cord Reel	16/3



Fluorescent Hand Lamp & Cord Reels

Cooler operation for use

Retractable hand lamp has a slim shape and features durable shatter-resistant co-extruded outer shield with no-glare reflector. Recessed starter switch in handle prevents false operation. Unit pulls out to desired length and retracts with slight tug on cord.

- Includes 15W lamp
- Swivel hook for vertical hanging with 2 "S" hooks for horizontal hanging
- 18/2 SJT cord with 3 prong plug, 125V, 60 Hz.

Item No.	Description
6X972	Hand Lamp-25 Ft. Cord Length
6VW59	Hand Lamp-40 Ft. Cord Length



Compact Fluorescent Hand Lamps

Comfortable ergonomic design

Provides excellent portable task lighting. Fast and easy lamp changes (no tools needed), a bulb reflector that maximizes light output, and an adjustable hanging hook that swivels a full 360°.

- 13 watts
- SJT durable cord
- Lamp included

Item No.	Conductors	Gauge/ Length	Cord Outlet
4XP72	16/3	25	In Handle
4XP68	18/2	25	—
4XP69	18/2	50	—

Dual Light Magnetic Hand Lamp

Super tough and super reliable

Each lamp is independently controlled for flexible light level adjustments. Features dual 360° swivel hooks and a strong magnetic adapter for hands-free operation. Outlet is built into handle base for added convenience.

- Lamps are included
- 2 x 13 watts
- 18/2-SJT, 25 ft. cord

Item No.	Description
6YF69	Dual Light Magnetic Hand Lamp



Fluorescent Hand Lamps

Less energy than conventional incandescent lighting

Fluorescent drop lights feature durable shatter-resistant (in normal use), co-extruded, outer lamp shield with no-glare reflector, recessed starter switch, and 3-prong plug located in separate ballast housing. Swivel hook for vertical hanging; 6X971 and 5X409 are furnished with two "S" hooks for horizontal hanging.

- 18/3 SJT cord
- 125V, 60 Hz. rated

Item No.	Watts	Cord Length (Ft.)
3X734	8	25
6X971	15	25
5X409	15	50



Electrical Tape

Long lasting durable tapes at a great value!

- Tapes are 7 mil thick and 3/4" wide
- Made of vinyl plastic and flame retardant

Item No.	Size	Color
5MZ89	3/4" x 60'	Black
5MZ90	3/4" x 60'	Black
5MZ91	3/4" x 20'	Blue
5MZ92	3/4" x 20'	Green
5MZ93	3/4" x 20'	Red
5MZ94	3/4" x 20'	White

Portable Ground Fault Circuit Interrupters

Create a grounded work area. All of these units are built to meet NEC requirements and OSHA standards. The complete line is constructed of rugged materials to meet the requirements of contractors:UL and CSA approved (except 5YL48).

5YL43

This unit easily converts any 3 wire outlet to a grounded outlet, simply by plugging into the current outlet.

5YL44

GFCI is located at the point of contact and has a six foot 12-3AWG cord. Four outlets are covered by two hinged and gasketed covers and entire power box is constructed impact resistant polycarbonate.

5YL45


GFCI is located at the point of contact and has a right angle plug with a 2' 12-3AWG cord and flared three outlet weathered resistant molded head. Unit monitors electricity flow and shuts power off in 25/1000 of a second.

5YL46

User attachable GFCI is dual voltage 120V/240V and accepts SJT cable from 18 to 12AWG.

5YL47

In line GFCI with 8" 14/3AWG lead at both ends. The female receptacle contains a LED indicator acknowledging when power is present.



5YL48

Connector protector easily prevents cord separation due to accidental disconnection. For 12/3AWG cords.

Item No.	NEMA Plug Rating	Cord Config.	Length
5YL43	120V/15A	5-15P	N/A
5YL44	120V/15A	5-15P	6'
5YL45	120V/15A	5-15P	2'
5YL46	120V/15A	5-15P	N/A
5YL47	120V/15A	5-15P	14"
5YL48	N/A	N/A	N/A

Indoor/Outdoor General Purpose Extension Cords

Round Type

- Power indicator LED in the receptacle
- 1FD65, 1FD66 feature triple receptacle ends
- 1FD65, 1FD66 high visible PVC jackets withstand extreme temperature for long service life



Item No.	Cord Length	Outlet Connection	Color
1FD65	25'	3	Orange/Black
1FD66	50'	3	Orange/Black

Indoor/Outdoor Extension Cords

Everyday use

Flexible, efficient round type PVC jacketed cords feature a power indicator LED in the receptacle and are intended for everyday use on the jobsite, indoors or out. Brightly colored for safety.

- 125V, 13 amps
- 1625 watts
- -40° to 167° temperature range (F°)
- SJTW cord type
- 5-15 P Nema Plug configuration
- 5-15 R Nema Receptacle configuration



Item No.	Cord Length	Color
3EA97	10'	Orange
3EA98	25'	Orange
1FD55	50'	Orange/Black

General Purpose Indoor/Outdoor Extension Cords

Brightly colored for safety SJTW round type PVC jacketed cords feature a power indicator LED in the receptacle and are intended for everyday use on the jobsite, indoors or out.

- 125V, 15 amps
- 1875 watts
- -40° to 167° temperature range (F°)
- 5-15 P Nema Plug configuration
- 5-15 R Nema Receptacle configuration



Item No.	Conductor	Gauge/Length	Cord Color
3EB10	12/3	50'	Yellow/Black
3EA99	14/3	25'	Orange/Black